

Online Training Course On

Remote Sensing Data Sources and accessibility

Organized by

International Training Centre for Operational Oceanography (ITCOocean) ESSO-INCOIS, MoES, Hyderabad, India

Sep 09, 2022

ravikumar.jha@incois.gov.in

INCOIS as Data Centre

- The central repository for marine data in the country, receives voluminous oceanographic data
- Data provides information on physical, chemical, biological and geological parameters
- Spatial and temporal data and data products at different resolutions, and levels
- Data pre-processing, post-processing, quality control, dissemination and archives

Affiliations:

- Designated as the National Oceanographic Data Centre by the International Oceanographic Data Exchange Programme (IODE) of International Oceanographic Commission (IOC)
- Indian Ocean Global Ocean Observing System (IOGOOS) (http://www.iocperth.org/iogoos)

INCOIS Marine Data Services

Remote Sensing

AVHRR, AVHRR-AMSR, MODIS

* IN-SITU

Argo-Core, CTD, XBT, XCTD, BGC-Argo

Model Data

MOM, ROMS, HYCOM

Data types

Remote sensing

- MODIS/Terra and Aqua
- OCM-1&2/Oceansat-2
- TMI
- Quicksat & ASCAT


In-situ

- Argo
- Moored buoys
- Drifting buoys
- Tide gauge
- Bottom pressure recorders
- XBT observations
- Current meters
- HF Radars
- Automatic Weather Stations
- Wave Rider Buoys
- Wave Height Meter
- CTD

Parameters


- SST
- chlorophyll
- sea level, SST
- rainfall
- temperature/ salinity
- air pressure/temp, humidity, current
- air temperature
- wind speed and direction
- water temperature
- wave height and direction
- current speed and direction
- wave parameters
- SST and air temperature
- atmospheric pressure
- sea surface currents
- sea level (currents)

Remote Sensing: acquiring of information from a distance



Passive Sensor

Examples: land and sea surface temperature, vegetation properties, cloud and aerosol properties, and other physical properties



Examples: vertical profiles of aerosols, forest structure, precipitation and winds, sea surface topography, and ice, among others

Source: Earth Data, NASA

Evolution	Duration	Remarks				
Airborne remote sensing	First & Second World Wars	Photographs for surveying, mapping, reconnaissance and military surveillance.				
Rudimentary spaceborne satellite remote sensing	Late 1950s					
Spy satellite remote sensing	Cold War (1947–1991)	Remote sensing for military use spilled over into mapping and environment applications.				
Meteorological satellite sensor remote sensing	1960	The launch of the first meteorological satellite (TIROS-1) by the US in 1960.				
Landsat	1972	Landsat satellites have high resolution and global coverage. Applications were initially local and have become global.				
Earth observing system (EOS)	Since the launch of the Terra satellite in 1999	Terra/Aqua satellites carrying sensors, such as MODIS and taking measurements of pollution in the troposphere. Global coverage, frequent repeat coverage, a high level of processing, easy and mostly free access to data.				

Remote Sensing Products

- Why?
 - Good spatial coverage
 - Geographical difficulties: Extreme difficult terrain, polar regions
 - Natural disasters: cyclones, high-tides, tsunami
 - Very high resolution
 - Various applications

 Data Products: data from various sensors in a suitable and standard form and format, which can be readily used by user.





Courtesy: The Lego Data Story (Stanford)

Data Products: Classifications

Classification:

- standard products: direct information from satellite with necessary corrections (radiometer/geometric)
- value-added products: standard products processed as per user requirements (merged products)
- derived products: further data processing/analysing by the providers from the original data (SST)

Applications

Coastal: coastal mapping, erosion prevention, monitor shoreline changes, track sediment transport, and map coastal features.

Ocean: Monitor ocean circulation and current systems, measure ocean temperature and wave heights, and track sea ice.





- Hazard assessment: Track hurricanes, earthquakes, erosion, and flooding.
 Assess a natural disaster impacts and design preparedness strategies before and after a hazardous event.
- Natural resource management: Monitor land use, map wetlands, and chart wildlife habitats. Information used to minimize the damage that urban growth has on the environment and help decide how to protect natural resources at best.






Data Discovery Platforms


- MoES-NOAA: OMNI-RAMA joint data portal
- In-situ data & information portal
- Remote sensing portal
- Live access server (LAS)
- ERDDAP-NOAA
- TropFlux portal

https://incois.gov.in/portal/index.jsp


*Note: Some portal may require authentication

Remote Sensing





Flow Chart



Output

JPG: Image

GeoTiff: Informations

INDIAN NATIONAL CENTRE FOR OCEAN INFORMATION SERVICES

(An Autonomous Body under the Ministry of Earth Sciences, Government of India)



For archive data kindly contact pattabhi@incois.gov.in

Recent Products

Select Product: Sea Surface Temp ✓

> Select Sensor AVHRR
> MODIS

Select Satellite METOP-1 ▲ METOP-2 ■ NOAA-17 ▼


From Date 01/08/2020

To Date 30/08/2020

Submit

Reset

HOME



```
20200830-174100Z-metop-1-sst.jpg
 Download JPG GeoTiff
20200830-155610Z-metop-1-sst.jpg
Download JPG GeoTiff
20200830-142140Z-metop-1-sst.jpg
Download JPG GeoTiff
20200830-142140Z-155610Z-NightComposite-metop-1-
Download JPG GeoTiff
20200830-142140Z-155610Z-174100Z-NightComposite-
metop-1-sst.jpg
Download JPG GeoTiff
20200830-044720Z-metop-1-sst.jpg
Download JPG GeoTiff
20200830-030900Z-metop-1-sst.jpg
Download JPG GeoTiff
20200829-161710Z-metop-1-sst.jpg
Download JPG GeoTiff
20200829-050820Z-metop-1-sst.jpg
Download JPG GeoTiff
20200828-163810Z-metop-1-sst.jpg
 Download JPG GeoTiff
20200828-052950Z-metop-1-sst.jpg
 Download JPG GeoTiff
20200827-040920Z-metop-1-sst.jpg
 Download JPG GeoTiff
20200826-172130Z-metop-1-sst.jpg
 Download JPG GeoTiff
20200826-153910Z-metop-1-sst.jpg
Download JPG GeoTiff
20200826-153910Z-172130Z-NightComposite-metop-1-
sst.jpg
Download JPG GeoTiff
20200826-043000Z-metop-1-sst.jpg
Download JPG GeoTiff
20200826-025310Z-metop-1-sst.jpg
Download JPG GeoTiff
20200825-174510Z-metop-1-sst.jpg
Download JPG GeoTiff
20200825-155940Z-metop-1-sst.jpg
Download JPG GeoTiff
20200825-142430Z-metop-1-sst.jpg
 Download JPG GeoTiff
```

20200825-142430Z-155940Z-NightComposite-metop-1-

Other Data Sources

Meteorological & Oceanographic Satellite Data Archival Centre (MOSDAC)

<u>https://www.mosdac.gov.in/</u>

Met Office Hadley Centre observations datasets

https://www.metoffice.gov.uk/hadobs/

NOAA Physical Sciences Laboratory (PSL)

https://psl.noaa.gov/

NASA:Global Precipitation Measurement Mission (GPM)

https://gpm.nasa.gov/

Data Dissemination

Policy

 Remote Sensing Data Policy (RSDP): data acquisition and distribution of remote sensing satellite data, from Indian and foreign satellites, for the civilian users

Process:

- Less volume data & training datasets : through email
- Large volume data: through hard drives, DVDs
- Bulk of data: FTP
- Geographic Information Systems (GIS): for acquiring, managing, analyzing, and presenting spatially related information


In Situ

INCOIS HOME >> Data & Information >> In Situ Data >> Argo





Objectively Analysed Products



*Output available for different depth levels


MoES-NOAA: OMNI-RAMA Portal

OMNI

- Ocean Moored buoy Network for Northern Indian (OMNI)
- 12 OMNI buoys collect and transmit high resolution real-time data for upper ocean, surface meteorology, and wave parameters

RAMA

- Research Moored Array for African-Asian-Australian Monsoon Analysis and Prediction, designed to study the Indian Ocean monsoons
- Physical oceanographic and meteorological parameters




Data Extraction-OMNI

Select Parameter | Water Temperature @ 001m ♥ | Submit

- Select an ID and preview metadata
- Prompt new window, select- parameters, time-range
- Save output either as image, .csv, etc.






Data Extraction-RAMA

- Select an ID and preview data
- Select parameters, range, depth (if any)
- Check availability, download the output via Deliver cap

BD09B $\square \times$ **BD10** Rama Buovs:2300008 **BD13 BD11** Programme: RAMA Agency: PMEL, USA Buov: 2300008 Latitude: 12.01 degrees Longitude: 88.51 degrees **BD14** EEZ Status: No Data Status: Reporting Data Graph & Downloads: Click here to view 2300001 230 Zoom to ... 10 5300056

Data Display and Delivery



Output: ASCII, .NC, etc.




- Serve different type of data at unifies platform
- Simple and consistent data server to download subsets of scientific datasets
- Outputs are available in many formats as as .html table, ESRI .asc and .csv, Google Earth .kml, OPeNDAP binary, .mat, .nc, ODV .txt, .csv, .tsv, .json, and .xhtml
- ERDDAP can also return a .png or .pdf image with a customized graph or map.

Protocol	Description			
griddap datasets	Griddap lets you use the OPeNDAP hyperslab protocol to request data subsets, graphs, and maps from gridded datasets (for example, satellite data and climate model data). griddap documentation			
tabledap datasets	Tabledap lets you use the OPeNDAP constraint/selection protocol to request data subsets, graphs, and maps from tabular datasets (for example, buoy data). tabledap documentation			
"files" datasets	ERDDAP's "files" system lets you browse a virtual file system and download source data files. WARNING! The dataset's metadata and variable names in these source files may be different than elsewhere in ERDDAP! You might prefer using the dataset's Data Access Form instead. "files" documentation			
WMS datasets	The Web Map Service (WMS) lets you request an image with data plotted on a map. WMS documentation			

ERDDAP HOME >> GRIDDED DATASETS >> MAKE A GRAPH

Grid DAP Data	Sub- set	Table DAP Data	Make A Graph	W M S	Title	Sum- mary	Meta- data	Back- ground Info	RSS	E mail	Institution	Dataset ID
data			graph	М	AMSR2 Monthly Global Data	0	М	background &	₹ RSS	M	INCOIS	AMSR2_mnt_Global
data			graph	M	AMSRE 3Day Global Data	0	M	background ₽	₹ RSS	\bowtie	INCOIS	AMSRE_3DAY_GLOBAL
data			graph	M	AMSRE Monthly Global Data	0	М	background 🗗	₹ RSS	\bowtie	INCOIS	AMSRE_MONTHLY_GLOBAL
data			graph	М	Daily ASCAT global wind field	0	M	background &	₹ RSS	\bowtie	ifremer	ascat_daily_datasets
data			graph	М	Daily-OI-V2, final, Data (Ship, Buoy, AMSR-E, AVHRR, GSFC-ice)	0	М	background &	⋒ RSS	\bowtie	INCOIS	NOAA_AVHRR_AMSR_datasets
data			graph	M	Daily-OI-V2, final, Data (Ship, Buoy, AVHRR, GSFC-ice)	0	M	background 🗗	₹ RSS	\bowtie	INCOIS	NOAA_AVHRR_datasets
data			graph	M	Data from a local source.	0	М	background &	₹ RSS	\bowtie	???	AMSR2_3day_Global
data			graph	М	INCOIS ARGO 10 Day data Kessler-McCreary Methodology	0	М	background ₽	₹ RSS	\bowtie	INCOIS	incois_argo_10day_McCreary
data			graph	М	INCOIS ARGO 10 day data Variational Analysis Methodology	0	М	background ₽	₹ RSS	\bowtie	INCOIS	incois_argo_10d_VAM
data			graph	М	INCOIS ARGO Monthly data Kessler-McCreary Methodology	0	М	background ₽	₹ RSS	\bowtie	INCOIS	incois_argo_mnt_McCreary
data			graph	М	INCOIS ARGO Monthly data Variational Analysis Methodology	0	М	background ₽	₹ RSS	\bowtie	INCOIS	incois_argo_mnt_VAM
data			graph	М	INCOIS argo SST data Weekly	0	М	background ₽	₹ RSS	\bowtie	INCOIS	incois_argo_sst_weekly
data			graph	М	INCOIS Oceansat 2 OCM Data	0	М	background @	₹ RSS	\bowtie	INCOIS	incois_oceansat2_datasets
data			graph	M	INCOIS Quickscat Daily Data	0	М	background @	⋒ RSS	M	INCOIS	incois_quickscat_daily_datasets
data			graph	М	INCOIS Quickscat Monthly Data	0	М	background @	₹ RSS	\bowtie	INCOIS	incois_quickscat_mnt_datasets
data			graph	M	INCOIS TMI 3Day Data	0	М	background &	₹ RSS	\bowtie	INCOIS	incois_tmi_3day_datasets
data			graph	M	INCOIS TMI Monthly Data	0	М	background &	₹ RSS	\bowtie	INCOIS	incois_tmi_mnt_datasets
data			graph		INCOIS Value Added Products	0	М	background ₽	⋒ RSS	\bowtie	INCOIS	incois_valueadded_products_datasets
data			graph	M	IRS P4 OCM-Chlorophyll	0	М	background &	⋒ RSS	\bowtie	INCOIS	IRS_chlorophyll_datasets
data			graph	М	Monthly ASCAT global wind field	0	M	background &	₹ RSS	\bowtie	ifremer	ascat_mnt_datasets



(Documentation / Bypass this form @)

Set file type as your choice, viz. png for download image etc.

28

Live Access Server

- Web server designed to provide flexible access to geo-referenced scientific data
- It provides visualization, comparison and substituting of multi-dimensional scientific data for web users
- LAS functions as a virtual window, supports Windows, Unix / Linux platform
- This is Ferret based application, though tools (Matlab, GrADS) can also be used
- LAS in INCOIS (I-LAS) is being maintained since 2010

Cntd...


- Visualize data on-the-fly with graphics
- Request customize variables or subsets in a choice of formats
- Provide background references about the datasets (metadata)
- Enable feature for comparison of plots with different datasets
- Provide variations in output and in downloading files
- Documentation, Video tutorial, and Contact to the Admin

List of products on I-LAS

- Argo Products
 - Agro derived products
 - Value added products
- ASCAT wind product
 - wind speed and wind stress
- Microwave data products
 - AMSR-E & AMSR-2
 - 。 TMI


- NOAA
 - AVHRR & AVHRR-AMSR
- New Global Climatology (NIO)
 - Temperature and Salinity
- Ocean colour products
 - OCM-1 : Chlorophyll
 - OCM-2 : Chlorophyll-a

LAS > Dataset




Data set > select variable; set domain; update plot







Output image > select area > update plot




Play with Plot Options



Animation plot





Multiple plots in a frame: compare 2 > select requirement > update plot



Save as > select data format > time > save

Specify your data's requirements and then click "Save" to download.





Output: ASCII, NetCDF, CSV, arcGrid

TropFlux

- Aims at providing daily, timely, accurate air-sea heat and momentum flux data for the entire Indian ocean region
- Data available since 1979
- TropFlux data is freely available for research and education purposes.



Data Access

See in *TropFlux products* for access period

See in Changes for information abou

The data is in NetCDF format.

Note: To download TropFlux data, registration is required.

Offline dataset via DVDs

- RS data and data products for Indian Ocean region consists huge profiles, and is prepared and being distributed to students and researchers
- Upon registration or request, DVD contains software with Graph User Interface, similar feature to traditional Web GIS where in the user can search, query, visualize and download the data of their choice
- For huge data sets, FTP platform can be provided to transfer the desired datasets



DATA REQUISITION FORM



DATA REQUISITION FORM

- Institution / Dept. Address:
- Name & designation of the officer requiring data:
- Details of data requirement:

Parameters	Platform / Instrument	Period

- 4. Project for which the above data is required and the project cost.
- Please indicate whether the data is required for:
 - Own research
 - b. Sponsored & consultancy projects*
- If it is for consultancy project, whether the project has obtained the approval from Central/State Government, if so, please provide the details:

CERTIFICATE OF UNDERTAKING:

- Data supplied are exclusively for the use of the organization only.
- b. The data will be used only for the purpose for which it is supplied.
- c. These data shall not be passed on to any other party or agency (India/abroad) either in part, in full or in any form. If needed, prior approval should be taken from Indian National Centre for Ocean Information Services for the same under special circumstances.
- d. Due acknowledgement shall be given to Indian National Centre for Ocean Information Services for the source of data in all reports / publications etc. made by you.

Signature of the Officer (Requisite)

Signature of the Head of the Institution

Station: Date & office seal:

Note:

* ¿Eus sponsored and consultancy projects. DVCOIS will be charging for the data to be supplied as per. DVCOIS nome.

https://incois.gov.in/portal/datainfo/drform.jsp

